

CSN® air heater type 850

DESCRIPTION

The industrial air heater type 850 is a first-class solution for the direct heating of gaseous, non-flammable media in industrial environments. Developed for outstanding performance and reliability, this electric air heater is widely used in process and process engineering systems. With its welded design, solutions for use at overpressures of up to 3 bar have already been realised.



PRODUCT ADVANTAGES

- For connection to round flow ducts
- Welded housing
- With integrated fan on request
- Precise temperature monitoring and control possible with the aid of electronic controls
- In contrast to combustion heaters, no combustion fumes or noise.

TECHNISCHE DATEN

Medium Gaseous

Process data Medium and temperature up to 400°C

Heating elements Tubular heating elements

Materials Housing: Painted steel; 1.4301 (AISI 304);

1.4571 (AISI 316 Ti)

Tubular heating element: 1.4571 (AISI 316 Ti);

1.4828 (AISI 309)

Duct connection diameter (mm) Ø100 to Ø1400

Temperature monitoring Temperature controller

Safety temperature limiter

Limiter

PTI00 or thermocouple

Performance 4 to 1000 kW

Tension II0 to 690 V

Protection class IP54 to IP66

Terminal box Powder-coated steel RAL 7035, stainless

_ 1	L _	_	ı
S	Гe	e	ı

Customised versions on request

